

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

SECTION 1. IDENTIFICATION

Product name : Solstice® ZD, Solstice® 1233zd (E)

Number : 000000018007

Product Use Description : Refrigerant, Heat transfer fluid

Manufacturer or supplier's details : Solstice Advanced Materials US, Inc.
115 Tabor Road
Morris Plains, NJ 07950-2546

For more information call : 800-522-8001
+1-973-455-6300(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid, clear

Color : colourless

Odor : slight

Classification of the substance or mixture

Classification of the substance or mixture : Gases under pressure, Liquefied gas
Simple Asphyxiant

GHS Label elements, including precautionary statements

Solstice® ZD, Solstice® 1233zd (E)

10627672

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

Symbol(s)

:



Signal word

: Warning

Hazard statements

: H280

Contains gas under pressure; may explode if heated.

None

May displace oxygen and cause rapid suffocation.

Precautionary statements

: **Prevention:**

P281

Use personal protective equipment as required.

Storage:

P410 + P403

Protect from sunlight. Store in a well-ventilated place.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Substance

Chemical name	CAS-No.	Concentration
trans-1-Chloro-3,3,3-trifluoropropene	102687-65-0	>99.00 %

SECTION 4. FIRST AID MEASURES

Inhalation

: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact

: After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician. Take off all contaminated

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

- clothing immediately. Wash contaminated clothing before re-use.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.
- Ingestion : If victim is fully conscious, give a cupful of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician immediately.

Notes to physician

- Indication of immediate medical attention and special treatment needed, if necessary : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : The product is not flammable.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Carbon dioxide (CO2)
Dry chemical
Foam
- Specific hazards during firefighting : This product is not flammable at ambient temperatures and atmospheric pressure.
However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.
Container may rupture on heating.
Cool closed containers exposed to fire with water spray.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.
Exposure to decomposition products may be a hazard to health.
Fire may cause evolution of:
Hydrogen fluoride
Gaseous hydrogen chloride (HCl).
Carbon oxides

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

Halogenated compounds
Carbonyl halides

Special protective equipment for firefighters : In the event of fire and/or explosion do not breathe fumes.
Wear self-contained breathing apparatus and protective suit.
No unprotected exposed skin areas.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Immediately evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
Wear personal protective equipment. Unprotected persons must be kept away.
Remove all sources of ignition.
Ventilate the area.
Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.
Avoid accumulation of vapours in low areas.
Unprotected personnel should not return until air has been tested and determined safe.
Ensure that the oxygen content is $\geq 19.5\%$.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE**Handling**

Precautions for safe handling : Handle with care.
Do not use in areas without adequate ventilation.
Do not breathe vapours or spray mist.
Avoid contact with skin, eyes and clothing.
Follow all standard safety precautions for handling and use of

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

compressed gas cylinders.
Use authorized cylinders only.
Protect cylinders from physical damage.
Do not puncture or drop cylinders, or expose them to open flame or excessive heat.
Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.
Do not remove screw cap until immediately ready for use.
Always replace cap after use.

Advice on protection against fire and explosion : Can form a combustible mixture with air at pressures above atmospheric pressure.
Keep product and empty container away from heat and sources of ignition.

Storage

Conditions for safe storage, including any incompatibilities : Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 55 °C.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Storage rooms must be properly ventilated.
Ensure adequate ventilation, especially in confined areas.
Protect cylinders from physical damage.
Store away from incompatible substances.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Ensure that eyewash stations and safety showers are close to the workstation location.
Do not breathe vapours or spray mist.
Avoid contact with skin, eyes and clothing.

Engineering measures : Use with local exhaust ventilation.
Perform filling operations only at stations with exhaust ventilation facilities.

Eye protection : Wear as appropriate:
Safety glasses with side-shields
Safety goggles

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

- Hand protection : Impervious gloves
Gloves must be inspected prior to use.
Replace when worn.
- Skin and body protection : Wear as appropriate:
Solvent-resistant gloves
Solvent-resistant apron and boots
If splashes are likely to occur, wear:
Protective suit
- Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment.
Wear a positive-pressure supplied-air respirator.
For rescue and maintenance work in storage tanks use self-contained breathing apparatus.
Use NIOSH approved respiratory protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with skin, eyes and clothing.
Do not breathe vapours or spray mist.
Ensure adequate ventilation, especially in confined areas.
Remove and wash contaminated clothing before re-use.
Contaminated work clothing should not be allowed out of the workplace.
Keep working clothes separately.
Wash hands before breaks and immediately after handling the product.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
trans-1-Chloro-3,3-trifluoropropene	102687-65-0	TWA : Time weighted average	(800 ppm)	2020	WEEL:US Workplace Environmental Exposure Level
trans-1-Chloro-3,3-trifluoropropene	102687-65-0	TWA : Time weighted average	(800 ppm)	2013	Honeywell:Limit established by Honeywell International Inc.

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid, clear
Color	: colourless
Odor	: slight
Melting point/ range	: < -90 °C Method: OECD Test Guideline 102
Boiling point/boiling range	: 19 °C Method: OECD Test Guideline 103
Flash point	: Method: ISO 2719 Note: Not applicable
Evaporation rate	: Note: No data available
Flammability	: The product is not flammable. Method: Flammability (gases)
Lower explosion limit	: NoteNone
Upper explosion limit	: Note: None
Vapor pressure	: 1,516 hPa at 30 °C(86 °F)
Vapor density	: Note: (Air = 1.0), not determined
Density	: 1.27 g/cm3
Water solubility	: 1.90 g/l at 20 °C

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

Method: OECD Test Guideline 105

Partition coefficient: n-octanol/water	: log Pow: 2.2 at 25 °C
Ignition temperature	: 380 °C at 986.8 - 1,035.9 hPa Method: DIN 51794
Decomposition temperature	: > 250 °C
Viscosity, dynamic	: Note: No data available
Viscosity, kinematic	: Note: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: 130.5 g/mol

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Polymerisation can occur.
Conditions to avoid	: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 55 °C. Can form a combustible mixture with air at pressures above atmospheric pressure. Do not mix with oxygen or air above atmospheric pressure.
Incompatible materials	: Strong oxidizing agents Finely divided magnesium Finely divided aluminium
Hazardous decomposition products	: Halogenated compounds Carbon oxides Hydrogen fluoride Carbonyl halides

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

Gaseous hydrogen chloride (HCl).

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute inhalation toxicity : LC50: 120000 ppm, gas
Exposure time: 4 h
Species: Rat
- Skin irritation : Species: Rabbit
Result: No skin irritation
Classification: Not classified as a skin irritant in animal testing.
Method: OECD Test Guideline 404
Exposure time: 4 h
- Sensitisation : Result: Does not cause skin sensitisation.
Classification: Patch test on human volunteers did not demonstrate sensitisation properties.
- Repeated dose toxicity : Species: Rat
Application Route: Inhalation
Exposure time: 4 Weeks
NOEL: 4500 ppm
Note: Subacute toxicity
- Genotoxicity in vitro : Test Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Metabolic activation: with and without metabolic activation
Result: negative
- : Test Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Metabolic activation: with and without metabolic activation
Result: negative
Method: OECD Test Guideline 471
- : Test Method: Chromosome aberration test in vitro
Cell type: Human lymphocytes
Result: negative

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

Method: OECD Test Guideline 473

Genotoxicity in vivo

: Species: Rat
Cell type: Bone marrow
Method: Mutagenicity (micronucleus test)
Result: negative

Genotoxicity in vivo

: Test Method: Unscheduled DNA synthesis
Species: Rat
Result: negative

Genotoxicity in vivo

: Species: Mouse
Cell type: Bone marrow
Method: Mutagenicity (micronucleus test)
Result: negative

Reproductive toxicity

: Species: Rabbit
Note: No-observed-effect level - 15,000 ppm

: Species: Rat
Note: No-observed-effect level - 10,000 ppm

Teratogenicity

: Species: Rabbit
Note: No-observed-effect level - 15,000 ppm

: Species: Rat
Note: No-observed-effect level - 10,000 ppm

Further information

: Note: Excessive exposure may cause central nervous system effects including drowsiness and dizziness. Cardiac Sensitization (dog): No observed effect concentration - 100000 ppm.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish

: LC50: 38 mg/l

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : Immobilization
EC50: 82 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

Toxicity to algae : Growth inhibition
EC50: > 215 mg/l
Exposure time: 72 h
Species: Pseudokirchneriella subcapitata (green algae)
Method: OECD Test Guideline 201

: Growth rate
NOEC: 115 mg/l
Exposure time: 72 h
Species: Pseudokirchneriella subcapitata (green algae)
Method: OECD Test Guideline 201

Elimination information (persistence and degradability)

Bioaccumulation : Note: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Biodegradability : Result: Not readily biodegradable.
Value: 0 %
Method: OECD 301 D

Further information on ecology**Ecotoxicology Assessment**

Results of PBT assessment

Substance is not persistent, bioaccumulative, and toxic (PBT)., Substance is not very persistent and very bioaccumulative (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

Note : Where possible recycling is preferred to disposal or incineration.

SECTION 14. TRANSPORT INFORMATION

DOT	UN/ID No.	: UN 3163
	Proper shipping name	: LIQUEFIED GAS, N.O.S. (Trans-1-Chloro-3,3,3-trifluoropropene)
	Class	: 2.2
	Packing group	
	Hazard Labels	: 2.2
IATA	UN/ID No.	: UN 3163
	Description of the goods	: LIQUEFIED GAS, N.O.S. (Trans-1-Chloro-3,3,3-trifluoropropene)
	Class	: 2.2
	Hazard Labels	: 2.2
	Packing instruction (cargo aircraft)	: 200
	Packing instruction (passenger aircraft)	: 200
IMDG	UN/ID No.	: UN 3163
	Description of the goods	: LIQUEFIED GAS, N.O.S. (TRANS-1-CHLORO-3,3,3-TRIFLUOROPROPEN E)
	Class	: 2.2
	Hazard Labels	: 2.2
	EmS Number	: F-C, S-V
	Marine pollutant	: no
	IMDG Code segregation group according chapter 3.1.4.4	: NONE,

SECTION 15. REGULATORY INFORMATION**Inventories**

USA. List of Active Substances on the Toxic Substances Control Act : All substances listed as active on the TSCA inventory

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

(TSCA) Chemical
Substances Inventory, as
amended

Australian Inventory of
Industrial Chemicals : All components are listed on the inventory, regulatory
obligations/restrictions apply

Canada. Domestic
Substances List (DSL), as
amended : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals
Inventory (KECI) : On the inventory, or in compliance with the inventory

Philippines. Inventory of
Chemicals and Chemical
Substances (PICCS) : On the inventory, or in compliance with the inventory

China. Inventory of Existing
Chemical Substances
(IECSC) : On the inventory, or in compliance with the inventory

Thailand. Existing
Chemicals Inventory from
FDA (TECI List) : Not in compliance with the inventory

Taiwan Chemical
Substance Inventory (TCSI) : On the inventory, or in compliance with the inventory

TSCA 5A : US. Toxic Substances Control Act (TSCA) Section 5(a)(2)
Proposed Significant New Use Rules (SNURs) (40 CFR 721 and
725)
No substances are subject to a Significant New Use Rule.

TSCA 12B : US. Toxic Substances Control Act (TSCA) Section 12(b) Export
Notification (40 CFR 707, Subpt D)
No substances are subject to TSCA 12(b) export notification
requirements.

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

requirements of SARA Title III, Section 302.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : Acute Health Hazard
Sudden Release of Pressure Hazard

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

New Jersey RTK : trans-1-Chloro-3,3,3-trifluoropropane 102687-65-0

Pennsylvania RTK : trans-1-Chloro-3,3,3-trifluoropropane 102687-65-0

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 2	2
Flammability	: 0	0
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and

Solstice® ZD, Solstice® 1233zd (E)**10627672**

Version 1.9

Revision Date 08/18/2025

Print Date 10/03/2025

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 07/28/2025

Prepared by Solstice Product Stewardship Group