

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

SECTION 1. IDENTIFICATION

Product name : Genetron® 245fa

Number : 000000009878

Product Use Description : Refrigerant, Heat transfer fluid

Manufacturer or supplier's details : Honeywell International Inc.
115 Tabor Road
Morris Plains, NJ 07950-2546

For more information call : 800-522-8001
+1-973-455-6300(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : Liquefied gas

Color : colourless

Odor : weak

Classification of the substance or mixture

Classification of the substance or mixture : Gases under pressure, Liquefied gas
Simple Asphyxiant

GHS Label elements, including precautionary statements

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

Symbol(s)

:



Signal word

: Warning

Hazard statements

: Contains gas under pressure; may explode if heated.
May displace oxygen and cause rapid suffocation.

Precautionary statements

: **Prevention:**
Use personal protective equipment as required.**Storage:**

Protect from sunlight. Store in a well-ventilated place.

Hazards not otherwise
classified: May cause eye and skin irritation.
May cause cardiac arrhythmia.**Carcinogenicity**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula

: CHF₂CH₂CF₃

Chemical nature

: Substance

Chemical name	CAS-No.	Concentration
1,1,1,3,3-Pentafluoropropane	460-73-1	100.00 %

SECTION 4. FIRST AID MEASURES

Inhalation

: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required,

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

- provided a qualified operator is present. Call a physician.
- Skin contact : After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician. Take off all contaminated clothing immediately. Wash contaminated clothing before re-use.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.
- Ingestion : If victim is fully conscious, give a cupful of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician immediately.

Notes to physician

- Indication of immediate medical attention and special treatment needed, if necessary : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : The product is not flammable.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Carbon dioxide (CO₂)
Dry chemical
Foam
- Specific hazards during firefighting : This product is not flammable at ambient temperatures and atmospheric pressure.
However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.
Container may rupture on heating.
Cool closed containers exposed to fire with water spray.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.
Exposure to decomposition products may be a hazard to health.

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

Fire may cause evolution of:
Hydrogen fluoride
Gaseous hydrogen chloride (HCl).
Carbon oxides
Halogenated compounds
Carbonyl halides

Special protective equipment for firefighters : In the event of fire and/or explosion do not breathe fumes.
Wear self-contained breathing apparatus and protective suit.
No unprotected exposed skin areas.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Immediately evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
Wear personal protective equipment. Unprotected persons must be kept away.
Remove all sources of ignition.
Ventilate the area.
Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.
Avoid accumulation of vapours in low areas.
Unprotected personnel should not return until air has been tested and determined safe.
Ensure that the oxygen content is $\geq 19.5\%$.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE**Handling**

Precautions for safe : Handle with care.

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

handling

Do not use in areas without adequate ventilation.
 Do not breathe vapours or spray mist.
 Avoid contact with skin, eyes and clothing.
 Follow all standard safety precautions for handling and use of compressed gas cylinders.
 Use authorized cylinders only.
 Protect cylinders from physical damage.
 Do not puncture or drop cylinders, expose them to open flame or excessive heat.
 Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.
 Do not remove screw cap until immediately ready for use.
 Always replace cap after use.

Advice on protection against fire and explosion

: Can form a combustible mixture with air at pressures above atmospheric pressure.
 Keep product and empty container away from heat and sources of ignition.

Storage**Conditions for safe storage, including any incompatibilities**

: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 55 °C.
 Keep containers tightly closed in a dry, cool and well-ventilated place.
 Storage rooms must be properly ventilated.
 Ensure adequate ventilation, especially in confined areas.
 Protect cylinders from physical damage.
 Store away from incompatible substances.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Protective measures**

: Ensure that eyewash stations and safety showers are close to the workstation location.
 Do not breathe vapours or spray mist.
 Avoid contact with skin, eyes and clothing.

Engineering measures

: Use with local exhaust ventilation.
 Perform filling operations only at stations with exhaust ventilation facilities.

Eye protection

: Wear as appropriate:

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

- Safety glasses with side-shields
Safety goggles
- Hand protection : Impervious gloves
Gloves must be inspected prior to use.
Replace when worn.
- Skin and body protection : Wear as appropriate:
Solvent-resistant gloves
Solvent-resistant apron and boots
If splashes are likely to occur, wear:
Protective suit
- Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment.
Wear a positive-pressure supplied-air respirator.
For rescue and maintenance work in storage tanks use self-contained breathing apparatus.
Use NIOSH approved respiratory protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with skin, eyes and clothing.
Do not breathe vapours or spray mist.
Ensure adequate ventilation, especially in confined areas.
Remove and wash contaminated clothing before re-use.
Contaminated work clothing should not be allowed out of the workplace.
Keep working clothes separately.
Wash hands before breaks and immediately after handling the product.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
1,1,1,3,3-Pentafluoropropane	460-73-1	TWA : Time weighted average	1,644 mg/m ³ (300 ppm)	2020	WEEL:US. OARS. WEELs Workplace Environmental Exposure Level Guide, as amended

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Liquefied gas
Color	: colourless
Odor	: weak
pH	: Note: neutral
Melting point/range	: -103 °C
Boiling point/boiling range	: 15.3 °C
Flash point	: Note: Not applicable
Evaporation rate	: < 1 Method: Compared to Ether (anhydrous).
	: > 1 Method: Compared to CCl4.
Lower flammability limit	: Note: None
Upper flammability limit	: Note: None
Vapor pressure	: 1,227 hPa at 20 °C(68 °F) 3,882 hPa at 54.4 °C(129.9 °F)
Vapor density	: 4.6 Note: (Air = 1.0)
Density	: 1.32 g/cm ³ at 20 °C

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

Water solubility	: 7.18 g/l
Solubility in other solvents	: Medium: Methanol Note: partly soluble Medium: Diethylether Note: partly soluble
Partition coefficient: n-octanol/water	: log Pow: 1.35 at 21.5 °C Note: The product is more soluble in octanol.
Ignition temperature	: 412 °C
Decomposition temperature	: > 250 °C
Molecular weight	: 134.03 g/mol

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under recommended storage conditions.
Conditions to avoid	: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 55 °C. Can form a combustible mixture with air at pressures above atmospheric pressure. Do not mix with oxygen or air above atmospheric pressure.
Incompatible materials	: Strong oxidizing agents Finely divided magnesium Finely divided aluminium
Hazardous decomposition products	: Halogenated compounds Carbon oxides Hydrogen fluoride

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

Carbonyl halides
Gaseous hydrogen chloride (HCl).

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute inhalation toxicity : LC50: > 200000 ppm
Exposure time: 4 h
Species: Rat
Note: No deaths Evidence of transient anesthetic effect.
- : LC50: > 100000 ppm
Exposure time: 4 h
Species: Mouse
Note: No deaths Evidence of transient underactivity during exposure.
- Acute dermal toxicity : LD50: > 2,000 mg/kg
Species: Rabbit
- Sensitisation : Cardiac sensitization
Species: dogs
Note: No effects noted at 35,000 ppm, the threshold for induction of cardiac arrhythmias in the presence of injected adrenalin was 44,000 ppm.
- Repeated dose toxicity : Species: Rat
NOEL: 50000 ppm
Note: Embryotoxicity Not a teratogen
- : Species: rat (pups)
NOEL: 50000 ppm
- : Species: rat (dams)
NOEL: 2000 ppm
Note: due to decrease in body weight gains at 10,000 ppm and 50,000 ppm

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

- : Species: Rat
Method: 2 Generation Inhalation Toxicity
Note: Exposures 6hrs/day, 7 days/wk at 0(control), 2000, 10,000 and 50,000 ppm.
 - : Species: rat (dams)
Note: Toxicity seen in dams at 10,000 and 50,000 ppm and in pups at 50,000 ppm. Increased mortality late in the lactation phase of the study.
 - : Species: Rat
Note: 28-day Inhalation Study NOAEL (No observed adverse effect level) - 50,000 ppm NOEL - 500 ppm Dose levels: 0,500, 2000, 10,000 and 50,000 ppm
 - : Species: Rat
Note: 90-day Inhalation Study Dose levels: 0,500, 2000, 10,000 and 50,000 ppm NOAEL (No observed adverse effect level) - 2,000 ppm
 - : Note: Overall, subchronic studies showed dose-related increases in urinary fluoride levels, urine volumes and water consumption. Increases were noted in hematological parameters, BUN levels and serum liver enzyme activities (GOT, GPT). These increases did not follow a dose response; however, they indicate that HFC-245fa is metabolized in the liver. Significant recovery was noted in these parameters following a 2-week, non-exposure period which followed the 28-day exposure period. No histopathological effects were noted in the 28-day study. The 90-day study noted an increase in incidence and severity (trace to moderate) of myocarditis (inflammation of the heart muscle) at 10,000 and 50,000 ppm. This was not noted at the 500 or 2,000 ppm dose levels nor was it seen the 28-day study at 50,000 ppm.
- Genotoxicity in vitro
- : Cell type: Human lymphocytes
Result: Weak positive activation without S9 at 30% v/v; not active with S9 up to 70% v/v.
 - : Test Method: Ames test
Metabolic activation: with and without metabolic activation
Result: negative
- Genotoxicity in vivo
- : Species: Mouse
Cell type: Bone marrow
Application Route: Inhalation

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

Method: Mutagenicity (micronucleus test)
Result: negative

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish : EC50: > 81.8 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)

: NOEC: > 10 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates : EC50: > 97.9 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)

: NOEC: > 97.9 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)

Toxicity to algae : Growth inhibition
EC50: > 118 mg/l
Species: Algae
Method: OECD Test Guideline 201

Elimination information (persistence and degradability)

Bioaccumulation : Note: No data available

Mobility : Note: No data available

Biodegradability : Note: No data available

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

Further information on ecology

Additional ecological information : This product is subject to U.S. Environmental Protection Agency Clean Air Act Regulations at 40 CFR Part 82. This product contains greenhouse gases which may contribute to global warming. Do NOT vent to the atmosphere. To comply with provisions of the U.S. Clean Air Act, any residual must be recovered. Refer to sections 610 and 612 for list of acceptable and unacceptable uses for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

Note : Where possible recycling is preferred to disposal or incineration.

SECTION 14. TRANSPORT INFORMATION

DOT	UN/ID No.	: UN 3163
	Proper shipping name	: LIQUEFIED GAS, N.O.S. (1,1,1,3,3-Pentafluoropropane)
	Class	: 2.2
	Packing group	
	Hazard Labels	: 2.2
IATA	UN/ID No.	: UN 3163
	Description of the goods	: LIQUEFIED GAS, N.O.S. (1,1,1,3,3-Pentafluoropropane)
	Class	: 2.2
	Hazard Labels	: 2.2
	Packing instruction (cargo aircraft)	: 200
	Packing instruction (passenger aircraft)	: 200
IMDG	UN/ID No.	: UN 3163
	Description of the goods	: LIQUEFIED GAS, N.O.S. (1,1,1,3,3-PENTAFLUOROPROPANE)
	Class	: 2.2

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

Hazard Labels	:	2.2
EmS Number	:	F-C, S-V
Marine pollutant	:	no

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) : On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) : Not in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) : On the inventory, or in compliance with the inventory


National regulatory information

Genetron® 245fa**10326091**

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

SARA 302 Components	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
SARA 311/312 Hazards	:	Sudden Release of Pressure Hazard Acute Health Hazard
California Prop. 65	:	 WARNING: This product can expose you to chemicals, listed below, known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
		Dichloromethane 75-09-2
Massachusetts RTK	:	Dichloromethane 75-09-2
Pennsylvania RTK	:	Dichloromethane 75-09-2

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 2	2
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and

Genetron® 245fa

10326091

Version 2.13

Revision Date 09/22/2023

Print Date 05/15/2024

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 08/08/2018

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group